

Green Ignite - 2022 Current DLC Listed products as of 5/17/2023

Be sure to look for our products under 'Solid State Lighting'

Part Number on DLC	DLC ID #	Product Description	DLC Category
High Bay Fixtures			
GI-HBUM-50750-UL4	S-YJK146	LED UFO Style High Output High Bay Fixture; 180W, 24,000lm, 5000K, 120-277V, White Finish	High-Bay Luminaires for Commercial and Industrial Buildings (standard)
GI-HBUM-40400HO-UL4	S-7N6PBA	LED UFO Style High Output High Bay Fixture; 97W, 13,700lm, 4000K, 120-277V, White Finish	High-Bay Luminaires for Commercial and Industrial Buildings (standard)
GI-HBUM-50400HO-UL4	S-RNYMGI	LED UFO Style High Output High Bay Fixture; 97W, 13,700lm, 5000K, 120-277V, White Finish	High-Bay Luminaires for Commercial and Industrial Buildings (standard)
GI-HBUM-50400VHO-480UL4	S-V5FGDP	LED High Output UFO Style Highbay 140W 5000K 480V White	High-Bay Luminaires for Commercial and Industrial Buildings (standard)
GI-HBUB-CCT1000PS-UL5	S-FHYR15	LED UFO Style High Bay Fixture 215W / 165W / 127W / 84W Wattage selectable 30,000lm, 4000K-5000K Color temp selectable 120-277V Black Finish	High-Bay Luminaires for Commercial and Industrial Buildings (standard)
GI-HBUB-CCT400PS-UL5	S-ZNU2S4	LED UFO Style High Bay Fixture 97W / 83W / 65W / 45W Wattage selectable 12,300lm 120-277V Black Finish 4000K-5000K Color temp selectable	High-Bay Luminaires for Commercial and Industrial Buildings (standard)
Cobra Head Fixtures			
GI-CHF-D400-UL4	S-WBGHIJ	LED Cobra Head Fixture; 100W, 13,800lm, 4000K, 120-277V, 3-Pin Photocell Included	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)
GI-CHF-D400HO-UL4	S-T6DLS8	LED Cobra Head Fixture; 150W, 20,000lm, 4000K, 120-277V, 3-Pin Photocell Included	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)

GI-CHF-D250-UL4	S-N0UY13	LED Cobra Head Fixture; 70W, 9,400lm, 4000K, 120-277V, 3-Pin Photocell Included	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)
Wall Pack Fixtures			
GI-WPF-CCT175-UL4	S-UK9E7Z	LED Traditional Wall Pack Fixture; Watt Selectable 45/33/26/17W, 5,495lm, 3000K-5000K CCT, 120-277V, Bronze Housing	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires (standard)
GI-WPF-CCT400-UL4	S-LZ5DAF	LED Traditional Wall Pack Fixture; Watt Selectable 100/78/61/40W, 12,468lm, 3000K-5000K CCT, 120-277V, Bronze Housing	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires (standard)
Flood Light Fixtures			
GI-FLF-D1000-UL4	S-CBGKIF	LED Large Flood Light Fixture; 300W, 42,300lm, 4000K, 120-277V, Distribution Type V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FLF-C400HO-480UL4	S-S6NVCY	LED Large Flood Light High Output Fixture; 150W, 19,700lm, 5000K, 348-480V, Distribution Type V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FLF-C400-UL4B	S-4BS2UT	LED Large Flood Light Fixture; 100 W, 13,800lm, 5000K, 120-277V, Distribution Type V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FLF-C250-480UL4B	S-I1F6RM	LED Large Flood Light Fixture; 75W, 9,000lm, 5000K, 348-480V, Distribution Type V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FLF-D250-UL4B	S-JOZT20	LED Large Flood Light Fixture; 70W, 9,000lm, 4000K, 120-277V, Distribution Type V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)

GI-FLF-C1000-480UL4B	S-WLA64B	LED Large Flood Light Fixture; 300W, 42,300lm, 5000K, 348-480V, Distribution Type V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FLF-C1000-UL4B	S-708K0J	LED Large Flood Light Fixture; 300W, 42,300lm, 5000K, 120-277V, Distribution Type V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FLF-C400HO-UL4B	S-DEKPWT	LED Large Flood Light High Output Fixture; 150 W, 19,700lm, 5000K, 120-277V, Distribution Type V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FLF-D400-UL4B	S-IZWVHK	LED Large Flood Light Fixture; 100W, 13,800lm, 4000K, 120-277V, Distribution Type V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FLF-C250-UL4B	S-S23HPF	LED Large Flood Light Fixture; 70 W, 9,000lm, 5000K, 120-277V, Distribution Type V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FL2-C1000-UL4D	S-X9CYLV	Traditional flood light fixture; 350W; 5000K, 50,000 lm/W	Architectural Flood and Spot Luminaires (premium)
GI-FL2-C750-UL4D (SF or YK)	S-AMX4G1	LED Traditional Flood Light Fixture; 200W, 26,000lm, 5000K, 100-277V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FL2-C175-UL4D (TR or KM)	S-QPUEOD	LED Traditional Flood Light Fixture; 45W, 5,650lm, 5000K, 100-277 V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FL2-C100-UL4D	S-ZGYI4L	LED Traditional Flood Light Fixture; 27W, 3,600lm, 5000K, 100-277 V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)

GI-FL2-C400HO-UL4D (SF or YK)	S-VC0S3X	LED Traditional High Output Flood Light Fixture; 135W, 17,800lm, 5000K, 100-277V	Architectural Flood and Spot Luminaires (premium)
GI-FL2-C400-UL4D (SF or YK)	S-U4RWJK	LED Traditional Flood Light Fixture; 100W, 13,300lm, 5000K, 100-277V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FL2-C250-UL4D (SF or YK)	S-F4JKQP	LED Traditional Flood Light Fixture; 70W, 8,900lm, 5000K, 100-277V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
GI-FL2-C70-UL4D (TR or KM)	S-L1STX8	LED Traditional Flood Light Fixture; 15W, 2,000lm, 5000K, 100-277 V, Bronze Housing	Architectural Flood and Spot Luminaires (premium)
Linear High Bay Fixtures			
GI-22SLHB-C750-UL4CDYY	S-XPAEMO	2'x2' LED Slim Linear Highbay Fixture; 180W, 26,040lm, 5000K, 120-277V, White Finish	High-Bay Luminaires for Commercial and Industrial Buildings (premium)
GI-24LHB-C1000EC-UL4CDYY	S-PG2K5A	2'x4' LED Slim Linear Highbay Fixture; 270W, 36,000lm, 5000K, 100-277 V, White Finish	High-Bay Luminaires for Commercial and Industrial Buildings (premium)
GI-24LHB-C1000-[Blank,480]UL4CDYY	S-BMP6KV	2'x4' LED Slim Linear High Bay Fixture; 300W, 40,000lm, 5000K, 347-480V, Dimmable, White Finish	High-Bay Luminaires for Commercial and Industrial Buildings (premium)
Stadium Light Fixtures			
GI-STL-C1500-277ETL4	PL9QH3B06T80	LED Stadium Light Fixture; 500W, 80,000lm, 5000K, 120-277V, 30 Degree Beam Angle	Architectural Flood and Spot Luminaires (premium)
Tubes			

GI-4T8-WD34P-ULMF4	PL6W5EUZC1P H	LED 4' T8 Multi Functional Tube Lamp, 18W, 2,150lm, 3500K, 100-277V or Ballast Compatible, G13 Base, Plastic Lens	Dual Mode Internal Driver (UL Type A and Type B) (standard)
GI-4T5-C54GS-ULMF4	PL06TPHZHK4 U	LED 4' T5 Multifunctional Tube Lamp; 25W, 3,200lm, 5000K, 100-277V or Ballast Compatible, G5 Base, Glass Lens with Shatterproof Coating	Dual Mode Internal Driver (UL Type A and Type B) (standard)
GI-4T5-D54GS-ULMF4	S-63FQ27	LED 4' T5 Multifunctional Tube Lamp; 25W, 3,200lm, 4000K, 100-277V or Ballast Compatible, G5 Base, Glass Lens with Shatterproof Coating	Dual Mode Internal Driver (UL Type A and Type B) (standard)
GI-4T5-WD54GS-ULMF4	PL2JKUR4ULBK	LED 4' T5 Multifunctional Tube Lamp; 25W, 3,200lm, 3500K, 100-277V or Ballast Compatible, G5 Base, Glass Lens with Shatterproof Coating	Dual Mode Internal Driver (UL Type A and Type B) (standard)
GI-4T8-W34P-ULMF4	PL0D0DZH6BZH	LED 4' T8 Multi Functional Tube Lamp, 18W, 2,150lm, 3000K, 100-277V or Ballast Compatible, G13 Base, Plastic Lens	Dual Mode Internal Driver (UL Type A and Type B) (standard)
GI-4T8-C34P-ULMF4	PLCNL1SZ6HNC	LED 4' T8 Multi Functional Tube Lamp, 18W, 2,150lm, 5000K, 100-277V or Ballast Compatible, G13 Base, Plastic Lens	Dual Mode Internal Driver (UL Type A and Type B) (standard)
GI-4T8-D34P-ULMF4	PLX3Y6WM7M EK	LED 4' T8 Multi Functional Tube Lamp, 18W, 2,150lm, 4000K, 100-277V or Ballast Compatible, G13 Base, Plastic Lens	Dual Mode Internal Driver (UL Type A and Type B) (standard)

GI-8T8F-C110GS-DBDW4	PLF6U3I9EO3D	LED 8' T8 Direct Wire Tube Lamp, 42W, 5,500lm, 5000K, 120V-277V, Double Base (G13 with FA8 and R17D Adapters Included), Glass Lens with Shatterproof Coating	Internal Driver/Line Voltage (UL Type B) Lamps (standard)
GI-8T8F-D110GS-DBDW4	PLOS77WYRMOE	LED 8' T8 Direct Wire Tube Lamp, 42W, 5,500lm, 4000K, 120V-277V, Double Base (G13 with FA8 and R17D Adapters Included), Glass Lens with Shatterproof Coating	Internal Driver/Line Voltage (UL Type B) Lamps (standard)
GI-8T8F-WD110GS-DBDW4	PL7CS0TJ647N	LED 8' T8 Direct Wire Tube Lamp, 42W, 5,500lm, 3500K, 120V-277V, Double Base (G13 with FA8 and R17D Adapters Included), Glass Lens with Shatterproof Coating	Internal Driver/Line Voltage (UL Type B) Lamps (standard)
Corn Lamps / HID Equal			
GI-CC-CCT1000PS-UL5	S-HL2VQI	1000W HID Equal, 135/165/205W Power Selectable GEN 5 OMNI LED lamp, 3000K-5000K Color Selectable, 30750LM, 100-277V, EX39 Base	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B) (standard)
GI-CC-CCT100-PSUL4	S-LQUXJ8	18W / 9W / 12W Selectable, Small GEN 4 OMNI LED lamp, 3000K-5000K Color Selectable, 100-277V, E26 Base, 2700 Lumens	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B) (standard)
GI-CC-360C175-UL4	S-GRLVZA	LED Omni Directional Retrofit Corn Lamp; 36W, 5,220lm, 5000K, 100-277V, EX39 Base	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B) (standard)

GI-CC-360D175-UL4	S-VSERAU	LED Omni Directional Retrofit Corn Lamp; 36W, 5,220lm, 4000K, 100-277V, EX39 Base	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B) (standard)
GI-CC-360D250-UL4	S-AD7UY2	HID RETROFIT LED LAMP, 60W, 250W HID EQUAL, 4000K, EX39	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B) (standard)
GI-CC-360C250-480UL4	S-PO7GW1	54W 5000K 480v Corn Lamp	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B) (standard)
GI-CC-360D400-UL4	PVM6ARY8	HID RETROFIT LED LAMPS, 4000K, 100W, 400W HID EQUAL	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B) (standard)
GI-CC-360C400-UL4	PW8H2WVL	HID RETROFIT LED LAMPS, 5000K, 100W, 400W HID EQUAL	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B) (standard)
GI-CC-360C400-480UL4	S-VD02BN	100W Corn Lamp EX39 base 480V 5000K	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B) (standard)
GI-HBR-D400HO-UL2	S-08726L	LED High Output High Bay Retrofit Lamp; 120W, 16,800lm, 4000K, 120-277V, EX39 base	Replacement Lamps for High-Bay Luminaires (Type B) (standard)
GI-HBR-C400HO-UL2	S-K9PI35	LED High Output High Bay Retrofit Lamp; 120W, 16,800lm, 5000K, 120-277V, EX39 base	Replacement Lamps for High-Bay Luminaires (Type B) (standard)
GI-HBR-C1000-UL3	S-IT3862	LED High Bay Retrofit Lamp; 200W, 27,000lm, 5000K, 120-277V, EX39 Base	Replacement Lamps for High-Bay Luminaires (Type B) (standard)
GI-HBR-D1000-UL3	S-JB1XYP	LED High Bay Retrofit Lamp; 200W, 27,000lm, 5000K, 120-277V, EX39 Base	Replacement Lamps for High-Bay Luminaires (Type B) (standard)

U-Tubes

GI-U6T8-C32P-ULMF4	PLG7N6U7R5IR	LED U-Tube Multifunctional Lamp; 6" Spacing, 13W, 1,900lm, 5000K, 120-277V, Plastic Lens, G13 Base	Replacement Lamps (plug and play) (UL Type A) (standard)
GI-U6T8-D32P-ULMF4	PLOTDTTEEVI8P	LED U-Tube Multifunctional Lamp; 6" Spacing, 13W, 1,900lm, 4000K, 120-277V, Plastic Lens, G13 Base	Replacement Lamps (plug and play) (UL Type A) (standard)
GI-U6T8-WD32P-ULMF4	PLC18XS2OTCF	LED U-Tube Multifunctional Lamp; 6" Spacing, 13W, 1,900lm, 3500K, 120-277V, Plastic Lens, G13 Base	Replacement Lamps (plug and play) (UL Type A) (standard)
Linear Strips			
GI-4SLF-C90-UL3	PAKBDGW2	4' LED Linear Fixture; 45W, 6,005lm, 5000K, 120-277V	Direct Linear Ambient Luminaires (standard)
GI-4SLF-D90-UL3	PWFZOBH3	4' LED Linear Fixture; 45W, 6,005lm, 4000K, 120-277V	Direct Linear Ambient Luminaires (standard)
Vapor Proof Fixtures			
GI-4VTF-CCT120T3-UL4	PJP8BOJ4	LED 4' Vapor Tight Fixture; 60W, 6,350lm, Color Selectable, 120-277V, 0-10V Dimmable, White Finish	Direct Linear Ambient Luminaires (standard)
GI-8VTF-CCT200T3-UL4	PLB0V9GI	LED 8' Vapor Tight Fixture; 100W, 12,500lm, Color Selectable, 120-277V, 0-10V Dimmable, White Finish	Direct Linear Ambient Luminaires (standard)
Dusk To Dawn Fixtures			
GI-D2D-C400[S,D,B,W]-UL4	S-QKHC3	Dusk to dawn fixture- 90W, 120-277V, 70CRI, 5000K, dark bronze, includes 3-pin photocell	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)
GI-D2D-C250[S,D,B,W]-UL4	S-TAK0GX	Dusk to dawn fixture- 70W, 120-277V, 70CRI, 8,400LM, 5000K, dark bronze, includes 3-pin photocell	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)

GI-D2D-C175[S,D,B,W]-UL4	S-SJC18I	LED Dusk to Dawn Security Light Fixture; 45 W, 5,800lm, 5000K, 120-277V, 72 CRI, Bronze Housing, Photocell Included	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)
Area Light Fixtures			
GI-ALM-C1000-480UL3	S-O67CWY	LED Area Light Fixture; 300W, 42,300lm, 5000K, 348-480V AC, Bronze Housing, Distribution Type III	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)
GI-ALM-C1000-UL3	S-A1RNZB	LED Area Light Fixture; 300W, 42,300lm, 5000K, 120-277V AC, Bronze Housing, Distribution Type III	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)
GI-ALM-D1000-UL3	S-51B9KM	LED Area Light Fixture; 300W, 42,300lm, 4000K, 120-277V AC, Bronze Housing, Distribution Type III	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)
GI-ALM-C400HO-480UL3	S-UBVR09	LED High Output Area Light Fixture; 150W, 19,700lm, 5000K, 348-480V AC, Bronze Housing, Distribution Type III	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)
GI-ALM-C400HO-UL3	S-P6IHEV	LED High Output Area Light Fixture; 150W, 19,700lm, 5000K, 120-277V AC, Bronze Housing, Distribution Type III	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)
GI-ALM-D250[B,D,W]-UL3	S-XRIJY7	LED Area Light Fixture; 70W, 9,000lm, 4000K, 120-277V, Bronze Housing, Distribution Type III.	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)
GI-ALM-C250[B,D,W]-UL3	S-LOUA1C	LED Area Light Fixture; 70W, 9,000lm, 5000K, 120-277V AC, Bronze Housing, Distribution Type III	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires (premium)